# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# MOSTER

COMPANY INC.





MARCH 1, 1941


WHOLESALE NURSERYMEN

BRIDGETON, N. J.

PHONE 44R1







# Lining Out Stock Bare Root Stock

```
ABIES fraseri (scedlings) Southern Balsam fir
pectinata alba (seedlings) Silver fir
  -veitchi (seedlings) Veitch's fir
AZALEA altaclarence (seedlings) Yellow flowered ghent—babeut (seedlings) A sulmon arange named malls variety—kersbergen strain No. 1 (seedlings)

    kersbergen strain No. 2 (seedlings)
    kersbergen strain No. 3 (seedlings)

-koster's brilliαnt (seedlings) A mollis x smorses bright grange
--louise hunnewell (seedlings)
-arborescens (seedlings) White to pinkish frastice)
-calendulaceum (seedlings) Flame azalea
-canescens (seedlings) Wild pink azalea
-chinensis Deciduous Chinese Azalea
-schlippenbachi (seedlings) Fink Korean azalea
-vaseyi (seedlings) Early pink azalea
-viscosum (seedlings) White swamp honeysuckle
--j. c. van tol (seedlings) Orange red type of Mallis
--mollis (seedlings) Orange and yellow flowers
--μontica (seedlings) Yellow Ghent Azaisa
--μontica hybrid (seedlings) Assorted yellow to orange colors
3 to 6 in 1 yr. tpl. bed grown ... $0.08 $0.06
4 to 8 in 2 yr. tpl. held grown ... .10 03
6 to 10 in 3 yr. extra heavy tpl. f. z. ... .15 .12
-magnifica (cuttings) Lavender flowers
-magnifica (cuttings) Lavender flowers
-maxwelli (cuttings) Very late, large red flowers
-pink beauty (cuttings) Fine soft pink flowers
-pink pearl (cuttings) Large double pink flowers
-poukhanensis (cuttings) Rose-purple flowers, very hardy
-salmon beauty (cuttings) Beautiful salmon flowers
-sweet brier (cuttings) Clear pink, double flowers
-yodogawa (cuttings) Purplish pink double flowers
    -coral belle (cuttings) Double shell pink flowers
 —hinodegiri (cuttings) Red flowered evergreen azalea
-mucronulata (seedlings) Very early, rose purple flowers
```

Empress of India - Deep pink bisoler Empress of India - Deep pink bisoler Emest Thiers - hed, dwarf Emest von Echboutte - Derik red to Temperance - Lavender - 1972 Mad. Petrick - Early resp pink double Mad. Petrick Superba - Double Mme. Fred Sanders - Bisolar Mme. los. Vervaenea - Petch Mme. Morreaux - Besslor Mme. Morreau: Eicol. Miche - White
Prof. Water - Encolor
Remain de Smet Devard blocks
Since Mardner - Lest and
Van der Cruyssen - Best and
Vervaeneng - Best blocks
4 to 6 in 1 ja. tol firing on: \$0.50 \$0.40
1 to 9 in 2 ye upt being out 70 60 AZALEA kaempieri hybrid laatings Force hybrids of the francolog and barriers crackeds Article and havelets, orogonized The best and harder!

cathors.

Atalanta Late, leveldes, tall
Cleopaira Bully, 1994 park, tall
Federa Bully, 1994 park, tall
Lohengrin Late organization
Mikado Independent week park, found
Otherlo Bully wurse
White Heavy wurse
White Heavy white prompted, annual
Zampa Midseason week park, found
4 to 1 in 1 ye tall grown ... 50 18 \$0.15
for 9 in 2 ye tall field grown ... 50 18 \$0.15
for 9 in 2 ye tall field grown ... \$0.15

ERBERIS juliance (growth Bull grown ... 50 18 \$0.12
to 8 in 2 ye tall field grown ... 50 18 \$0.12
to 8 in 2 ye tall field grown ... 50 18 \$0.12
to 8 in 2 ye tall field grown ... 50 18 \$0.12
to 8 in 2 ye tall field grown ... 50 18 \$0.12
to 8 in 2 ye tall field grown ... 50 18 \$0.12
to 8 in 2 ye tall field grown ... 50 20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15
for 10 in 2 ye tall bed grown ... 50.20 \$0.15 -nootkatensis glauca (grafted Dootbe typeen
-obtusa crippsi (grafted) Colden typress
-obtusa gracilis (grafted) Dark green rinicki typress
-obtusa gracilis nana (grafted) Dwarf football typress
4 to 3 55 1 pr. tpl. feld grave 2 50.30
5 to 10 to 2 yr. tpl. tield grave 40

CORNUS floridα (seedlings) White dogwood 6 to 9 in seedlings

-florida rubra (grafted) Red flowering dogwood COTONEASTER simonsi (seedlings) Simon's cotoneaster ENKIANTHUS campanulata (seedlings) Red veined enkianthus GORDONIA altamaha (cuttings) Franklin tree ILEX opaca (seedlings) American holly —bullata (cuttings) Dwart boxwood holly
—crenata (cuttings) Japanese helly
—glabra (cuttings) (linkberry)
—pernyi (cuttings) Ministure nevelty helly
; to 6 in. 1 yr. thi bed grown JUNIPER communis aurea (cuttings) Golden spreading -horizontalis plumosa (cuttings) Prostrate Andorra juniper -hibernica (cuttings) Irish upright juniper -meyeri (cuttings) Meyer's fishtail juniper -virginiana (seedlings) Virginia red cedar **KALMIA latifolia** (seedlings) American laurel 6 to 8 in. 2 yr. tpl. field grown LARIX europea (seedlings) European larch -leptolepsis (seedlings) Japanese larch LEUCOTHOE catesbaei (seedlings) Drooping leucothoe MAGNOLIA soulangeana (grafted) Pink saucer magnolia MENZESIA ciliocalyx multiflora (seedlings) Small red flowers NANDINA domestica (seedlings) Heavenly bamboo OSMANTHUS aquifolia (cuttings) False helly OXYDENDRUM arboreum (seedlings) Sorrel tree PICEA canadensis (seedlings) Canadian spruce -engalmanni (seedlings) Engelmann spruce PICEA pungens kosteri (grafted) Koster's Blue spruce PIERIS japonica (cuttings) Japanese andromadae -racemosa (seedlings) Sweet Bells
4 to 8 m. 1 yr. tel. bed grown
5 to 10 in. 2 yr. tel. field grown PSEUDOTSUGA douglasi glauca (seedlings) Blue Douglas fir

```
RHODODENDRON arboreum (3)
  -brachycarpum
  racemes
roseflora (seed
RHODODENDRON carolina (seedlinas) Garolina rhododendron
—calawbiense (seedlings) Alleghany wild rhododendron
—catawbiense hybrid (seedlings) Hyrrid seedlings
—maximum (seedlings) Hose Fay rhododendrons
—pontica (seedlings) For understock
SYRINGA hybrids because of the severe drought this summer our one year tpl. More are very small.
                    -double
   Berryer single
Jan van Tol
Mont Blanc
                                                              Early varieties
                                                               Single white
   Mme. Lemoine
Miss Ellen Willmott
                                                              Double white
   Captain Baltet
                                                         Single dark bluish
  Emil Gentil
Katherine Havemeyer
President Grevy
                                                         Double dark bluish
   Charles X
Maurice Barres
                                                           Single light lilac
   Marchael Lannes
   Leon Gambetta
Pres. Faillieres
Waldeck Rousseau
                                                      Double light pinkish
   Horstenstein
   Ludwig Spaeth
Reaumur
                                                         Single dark reddish
  Charles Joly
Mrs. Edward Harding
                                                         Double dark reddish
   Hugo de Vries-purple
Mme. Floret Stepman-white
                                                            Forcing varieties
                                                    grown $0.20 $0.18
grown .30
                     im. I yr tpl. field
 STEWARTIA monadelphia (se flinas) violet fl

—pseudocamellia (seedlinas) white flowers

—pentagyna (seedlinas) white flowers
 8 to 12 m. 2 yr. tyl. field resw
TAXUS browni (critical) Frown's yew
hatfieldi (critings) Herbeld's yew
hunnewell (critings) Hunne & elf's ye
fire a fire 1 yr tyl 'ed grow
fire 2 fire 2 et tyl ''d grow
```

TAXUS capitata (seedlings) Pyramidal Japanese yew
2 to 4 in unityl 2 vr. seedlings
3 to 6 in 1 yr. by Ne i seven

5 to 9 m. 1 yr. by Ne i seven

6 to 9 m. 1 yr. by Ne i seven

8 to 12 in 2 yr. by Ne i spown

8 to 2 m. 2 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m. 3 yr. by Ne i spown

8 to 3 m

8 to 12 m. 1 yr. 121 to 12 grown ... \$0.30 50.25
8 to 12 m. 2 yr. 121 beld grown ... 40 55

FAXUS brevifolia nana (customs) Dweet fee yew (1 ye. 200 custy)

—uspidata spreading (customs) \$preading feetness yew.

—hicksi (customs) Upright Hick's yew.

4 to 1 in 1 yr. 121 beld grown ... 50.12 30.16
6 to 10 in 2 yr. 121 beld grown ... 13 15
8 to 12 in 3 yr. 121 beld grown ... 25 30.

THUJA elegantissima (cuttings) Golden upright inhorning—lutea (gnatted) Greate Peabody yellow statistics 6 to 8 in 1 yr, tal field access 50.50

--qlobosa (cuttings) Seegger stable described
--pyramidalis (cuttings) Pyramidal acherwise
--warreana (cuttings) Silvenion acherwise
6 to 9 m. l. yr tpl. field grown
8 to 10 m. 2 m. tpl. field grown
9 to 12 m. m. tpl. field grown
WISTERIA multipaga blue (cuedlings)
--multipaga white

-multijuga white

12 to 18 in, 3 yr. field tpl. .

## Member of

# Terms and Conditons of Sale

ORDERS: State size desired and give specific shipping instructions—whether by freight excrets or most, due of delivery and to whom notice of delivery and invoice is to be sent. In no shipping instructions size included we will stap by best carriage. If no date is specified we will stap of case of as soon as weather or conditions of plants above.

LINING OUT STOCK. International and state above being part with the roots puddled and processed with the roots puddled and processed with damp notes. Analysis and Rhodedendrous having a partners but one processes with paper.

SPECIMEN PLANTS. All specimen stock is stripped balled and buildapped except in all research stock as stripped balled and buildapped except in all research stock as stripped balled and buildapped except in all research stock as stripped balled and buildapped except in all research stock as a stripped balled and

TRANSPORTATION. All the prests are adequately packed and simpled over the Central New Paper or Peanet value Religious or for many fetting.

THANSPORTATION.

Shaped over the Central New Proces or Pednal veral Names or by motor tretuth.

PRICES: We quote I to 30 plants of OTE KAID on the 10 rare 50 to 300 at the 100 rate and ever 30 at the 100 rate Packing at cost of material.

TERMS: Orders know people unknown to us will be shaped C. O. D. unless structure to the tretute are advanced Regular of counts are due not verb 10 stays to ac date of the worse.

Regular a country are due not work 30 lays man sets at a conce.

GUARANTEE: Our stock is true to have and is at size and quality represented. We give by suggestive expensed or freplied as to decouptin, standard, presentative or any more y clock, seeds, builts to easily and one will not in any way to respective for the corp. To installing is assumed for failure or defect in allows spaces due to staken, and country for principle or defect in allows spaces due to staken, and country of seller.

INSPECTION: All plants stapped CUTSIDE for far ansate Bealth Quarantine ARE resembled with a Represent Bealth Controller of seller.

CHAIMS: If stack is uncatalization of country for a produced at least a country for a produced at least a country for a produced attending to deep more produced at the country for an accept of peads of the country for a produced attending to deep more produced at the country for a produced attending to deep more conditions. The produced does not accept goods on doore conditions are passed to be produced at the country beathered at season of the produced attending to the produced attending to the country beathered at season of the produced attending to the country beathered at season of the country beathered at season.

[Institute of the country of the country of the country beathered at the country of the countr

# Specimen Stock

	10 rate 10	JU rate
AZALEA amoena coccineabenegiri Dicep rad burame		
—flame -Large flowered red kurume		
—j. t. lovett Very late carnine flowers compa- macrantha: Large red flowers, dark creen lear		
-macrantha Large red flowers, dark green lear		
-magnifica Lovender Facetas -maxwelli Hardy large red flowers, very late		
-maxwelli Haray large rea nowers, very late		
-pink pearl Large double pink flowers		
-Samon beauty-A pedulitu Samon color		
-sweet briar -Abundance of small pink flower		-0.10
6 to 8 in. 348 3 to 10 in. 388	\$0.45 .75	\$0.40 .60
—coral belle Double pink flowering forcing az	alea	
		\$0.60 .75
hinodegiri - A bright green leaved evergreen abundance of red flowers. Excellent for forci		1th on
		forcina
avaled. The best three varieties are Simon	Mardne	r, Van
-indica varieties (grotted) The large flowering evaluation The Best tables varieties are Simon for Crayson and Verraciana. The page 3 f of varieties		
-kaemateri (saedlinae) Estremelia hardw aranae		
-kaempferi hybrid seedlings Seedlings of the	kaempfe	ri mal-
- kumpfori hybrid seedlings Seedlings of the senses whose with there in senses shades of these colors		nk and
12 to 15 m. B&B 15 to 18 m. B&B 13 to 24 m. B&B 2 to 2½ ft. B&B		\$0.75 .90 1.25 1.75
KAEMPFERI HYBRID AZALEAS		
Atalanta - Orchid pick 10 is 12 in the orl		
CarmenClear pink		
Fedora- Best Value Dink, early flowering Othello Orange, one of the best, early flower		
-Othello Crange, one of the best, early flower		
BIOTA aurea nana Berckman's golden biota		
	\$0.50	\$0.40
		.50
orientalisChinese blota		
15 to 18 m. B&B 18 % 24 m. B&B		\$0.30
CHAMAECYPARIS gracilis- Himoki express		
—hollandia Green Helland cypneca —triumphe de Boskoop—Blue Helland copnecs		
2 to 3 ft. B&B	\$1.00	\$0.75
	\$1.09	
CORNUS florida—White dogwood		

2 to 21/2 ft. B&B

	10 rate 1	00
	to rate r	ou rate
—florida rubra Red flowering dogwood		
15 to 18 m. B&B 18 to 24 m. B&B		
18 to 24 in. B&B	1.25	1.00
COTONEASTER horizontalis -Low growing grou	nd cotone	easter
—simonsi—Upright bushy leafed cotoneaster		
2 to 3 ft B&B		\$0.65
CRYPTOMERIA japonica lobbi		
6 to 8 ft. B&B selected specimens		
ENKIANTHUS campanulatus-Red vein enkianth		
	\$0.50	\$0 45
18 to 24 in. B&B		.60
ILEX bullata Dwarf boxwood leef helly (conve		
—crenata Large leaf Impanese holly		
glabra American inkberry		
—verticillαtα—Elack alder, red berry		
18 to 24 in. B&B		
JUNIPERUS canadensis aurea Golden spreading		
-chinensis columnaris blue -Blue columnar punt		
-chinensis columnaris green Green columnaris		
3 to 4 if B&B (green only)		
4 to 5 ft. B&B		
5 to 6 ft B&B		
-horizontalis plumosa - Anderra prostrate minipe		
excelsa stricta-Spiny Greek Jumper		
10 to 12 ft B&B 12 to 15 in. B&B		
-sabina Sabin's vase shaped (uniper		
10 to 12 ft, B&B		\$0.40
12 to 15 ia. B&B		
-burki-Burk's blue virginia cedar		
—cannarti Cannart's dark green jumper —fortunei Globular fumpai		
-glauca Blue Virginia codes		
-keteleeri -Pyramidal ted coda:		
LEUCOTHOE catesbaei — Drooping lexcethoe		
	\$0.60 .70	
PICEA pungens kosteri Koster's blue somme		
		\$1.50
2 to 21/2 ft. B&B		2.09
21/2 to 3 ft B&B		2.50
PIERIS racemosa - American swamp undromoda		
RETINOSPORA plumosa aurea—Golden cypress		
—plumosa vera-Green plume cypress —squarrosa veitchi—Blue moss cypress		
12 to 15 in B&B		\$0.30

RHODODENDRON catawhiense hybrid—We are America's largest growers of hardy grafted rhododendrous and offer an unusual selection of varieties. Our plants are exceptionally hardy, being produced under open field culture, and have compact tops, splendid root system and abundance of buds.

Д				graft B&B	bud		\$0.75
В			B&B				
C							
E			B&B	budded			2.25

Letters after varieties indicate sizes available.

- Album elegans white. A rapid growing tall variety re-commended for backgrounds. Buds are flesh color and flow-ers open blush fading to white. Extendly hardy. ABCDE
- ers open blush tading to write. Extremely hardy. ABCDE

  America: red. An excellent deep red of open spreading habit.

  Very best red color. ABCD
- Amphion (F. L. Ames) Fink, white eye. A striking large deep pink flower with pare white center. Good forcing va-
- Catawhiense album—white. A pure white hybrid of good compact habit. Easily forced and very hardy. ABCD Cat. grandiflorum—hiles. A resy like hybrid of good compact habit. Fade heavily, and is very hardy. ABCDE Dr. Dresselhuys—red. The best tall growing hardy red va-

- Dr. Ru'gers—red. A large flower societized of dwarf epicuding habit. Basily togget and hade very freely. CD

  English Roseum—pink. The finest elser pink color and compact basil of Borean elserges. ABCD
- Ignatius Sargent—Tight red. A rapid vigorous growing, very
- Mrs. C. S. Sargent
- Parson's grandiflorum (grandiflorum) red. A good hardy selferins red topic accepted significant florums. AB

  President Lincoln—lawender. An easily farsed tall growing lawender version version. Entremely bandy. ABCDE
- Purpureum elegans purple. Bushy well shaped plants producing an aboutance of purple flowers. Extremely hardy and heavy budder. ABCD
- -Roseum elegans—crehid pink. A heavy budding orchid pink variety which produces compact globular specimens. Easily fortest and vary hardy. ABCDE
- Van der Hoop-red. 21sht tynian-red flowers. Low bushy growing variety.
- -Van Weerden Poelman-red. Very large crimson flowers

	10 rate	100 rate
RHODODENDRON Boule de Neige white. A ve		
ing early pure white Caucasicum hybrid wh hardy. Large flowers.		entirely
10 to 12 m. B&B 12 to 15 in. B&B 15 to 13 in. B&B		1.35 1.75
RHODODENDRON fortunei—seedlings. White to		
12 to 15 in. B&B 15 to 18 in. B&B		
-hybrid seedlings-assorted colors from named		
12 to 15 in. B&B 15 to 18 in. B&B		
micranthum-small white flowers		
18 to 24 in. B&B		\$0.90
—rhombicα —small white flowers		
12 to 15 in. B&B	\$0.60	\$0.50
STEWARTIA monadelphia—Violet flowers		
18 to 24 in. B&B 2 to 3 ft. B&B		\$0.35 .50
TAXUS brevifolia nana Dwarf Japanese yew		
	\$0.90	\$0.75
10 to 12 in. B&B 12 to 15 in. B&B	1.25	
baccata aureaGolden spreading yew		
canadensis-Canadian yewerecta overiender Upright growing yew		
—hatfieldi—Hatfield's upright yew		
—intermedia—Globular yew		
rependensProstrate yewwashingtoniWashington golden yew		
	\$0.90	\$0.75
TAXUS capitata - Pyramid Japanese yew		
12 to 15 in. B&B		
15 to 18 in. B&B 18 to 24 in. B&B		
12 to 15 in. B6B 15 to 18 in. B5B 18 to 24 in. B6B 2 to 212 ft. B6B 212 to 3 ft. B6B		
-cuspidata spreading Spreading Japanese yew		
3 to 4 ft. B&B 4 to 5 ft. B&B	4.00	
-hicksi-Hick's upright yew		
15 to 18 in B&B 18 to 24 in B&B 3 to 4 ff B&B 4 to 5 ff B&B	1.25	
3 to 4 ft. B&B 4 to 5 ft. B&B	4.00	
THUJA elegantissima—Yellow tip arborvitae		
—luteα Golden arborvitae		
pyramidalisPyramidal arborvitae spiralis		
2 to 5 ft. byb		
globosaGlobe arborvitaerosenthaliDwarf pyramidal arborvitae		
-wareana -Siberian arborvitae		
—woodwardi Very compact globe		
	**	
10 to 12 in B&B 12 to 15 in B&B 15 to 18 in B&B	\$0.40 .50 .70	.45
12 to 15 in. B&B 15 to 18 in. B&B	.50	.45
12 to 15 in. B&B	.50 .70	.45 .60
12 to 15 in, B&B 15 to 18 in, B&B TSUGA fremdi Dwarf pyramidal hemlock	.50 .70	.45 .60

2 to 3 ft. Day ......\$0.60 \$0.50

